


NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**




* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Amoxicillin/Clavulanic Acid




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Ampicillin




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Cefoxitin




* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Ceftiofur




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Cephalothin




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Ciprofloxacin




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Gentamicin




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Kanamycin




* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Nalidixic Acid




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates


**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**



NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Sulfamethoxazole




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**




↓ Breakpoint

* Includes var copenhagen

NARMS-EB 2003
Veterinary Isolates

**Fig. 29 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Slaughter)**

Trimethoprim/Sulfamethoxazole



↓ Breakpoint

* Includes var copenhagen